

XPE

Specifications XPE Wallcoverings

Physical Properties

Product Code	: Alencon XPE Wallcoverings
Width	: 1.3/1.37m by 30/50m
Backing	: XPE unbacked / Acrylic Backed / Paper Backed

Uses

Wallcoverings, Panel
Upholstered, Upholstery

Performance Features

Clean Ability	: Superior Scrub and Wash
Print Colors	: Fade Resistance Pigments, Alkali Resistant
Light-fastness	: Shall be no change in color or shade, discoloration exudation, development of tackiness, or stiffness.
Fire and Smoke	: ASTM E-84-21a
Durability	: No wear 1 million double rubs
Blocking Resistance	: Meets Type III CCC-W-408D
Breaking Strength	: Meets Type III CCC-W-408D (Machine Direction – 523 pounds force) (Cross Machine – 408 pounds force)

Fire Hazard Classification

Flame Spread	: 10
Fuel Contributed	: 0
Smoke Developed	: 10



Fire rated



Abrasion
Resistance



Non Toxic
Chemical



Stain
Resistance



Washability



AM Furnishing Pte Ltd

Wallcoverings . Fabrics . Acoustics . Floorings

Website: www.amfurnishing.com.sg

ALENCON




AMA-23-001



AMA-23-002




AMA-23-003




AMA-23-004




AMA-23-005



AMA-23-006




AMA-23-007




AMA-23-008



AMA-23-009



AMA-23-010



AMA-23-011



AMA-23-012




AMA-23-013



AMA-23-014




AMA-23-015



AMA-23-016



AMA-23-017



AMA-23-018

Specifications XPE Wallcoverings

Physical Properties

Product Code	: Peracle XPE Wallcoverings
Width	: 1.3/1.37m by 30/50m
Backing	: XPE unbacked / Acrylic Backed / Paper Backed

Uses

Wallcoverings, Panel
Upholstered, Upholstery

Performance Features

Clean Ability	: Superior Scrub and Wash
Print Colors	: Fade Resistance Pigments, Alkali Resistant
Light-fastness	: Shall be no change in color or shade, discoloration exudation, development of tackiness, or stiffness.
Fire and Smoke	: ASTM E-84-21a
Durability	: No wear 1 million double rubs
Blocking Resistance	: Meets Type III CCC-W-408D
Breaking Strength	: Meets Type III CCC-W-408D (Machine Direction – 523 pounds force) (Cross Machine – 408 pounds force)

Fire Hazard Classification

Flame Spread	: 10
Fuel Contributed	: 0
Smoke Developed	: 10



Fire rated



Abrasion
Resistance



Non Toxic
Chemical



Stain
Resistance



Washability



AM Furnishing Pte Ltd

Wallcoverings . Fabrics . Acoustics . Floorings

Website: www.amfurnishing.com.sg

PERCALE I




AMP-23-019




AMP-23-020




AMP-23-021




AMP-23-022




AMP-23-023




AMP-23-024




AMP-23-025




AMP-23-026



AMP-23-027



AMP-23-028



AMP-23-029

Specifications XPE Wallcoverings

Physical Properties

Product Code	: Peracle XPE Wallcoverings
Width	: 1.3/1.37m by 30/50m
Backing	: XPE unbacked / Acrylic Backed / Paper Backed

Uses

Wallcoverings, Panel
Upholstered, Upholstery

Performance Features

Clean Ability	: Superior Scrub and Wash
Print Colors	: Fade Resistance Pigments, Alkali Resistant
Light-fastness	: Shall be no change in color or shade, discoloration exudation, development of tackiness, or stiffness.
Fire and Smoke	: ASTM E-84-21a
Durability	: No wear 1 million double rubs
Blocking Resistance	: Meets Type III CCC-W-408D
Breaking Strength	: Meets Type III CCC-W-408D (Machine Direction – 523 pounds force) (Cross Machine – 408 pounds force)

Fire Hazard Classification

Flame Spread	: 10
Fuel Contributed	: 0
Smoke Developed	: 10



Fire rated



Abrasion
Resistance



Non Toxic
Chemical



Stain
Resistance



Washability




AM Furnishing Pte Ltd


Wallcoverings . Fabrics . Acoustics . Floorings

Website: www.amfurnishing.com.sg


PERCALE II




AMP-23-030




AMP-23-031




AMP-23-032




AMP-23-033




AMP-23-034




AMP-23-035




AMP-23-036




AMP-23-037




AMP-23-038



AMP-23-039



AMP-23-040



AMP-23-041

Specifications XPE Wallcoverings

Physical Properties

Product Code	: Darlexx XPE Wallcoverings
Width	: 1.3/1.37m by 30/50m
Backing	: XPE unbacked / Acrylic Backed / Paper Backed

Uses

Wallcoverings, Panel
Upholstered, Upholstery

Performance Features

Clean Ability	: Superior Scrub and Wash
Print Colors	: Fade Resistance Pigments, Alkali Resistant
Light-fastness	: Shall be no change in color or shade, discoloration exudation, development of tackiness, or stiffness.
Fire and Smoke	: ASTM E-84-21a
Durability	: No wear 1 million double rubs
Blocking Resistance	: Meets Type III CCC-W-408D
Breaking Strength	: Meets Type III CCC-W-408D (Machine Direction – 523 pounds force) (Cross Machine – 408 pounds force)

Fire Hazard Classification

Flame Spread	: 10
Fuel Contributed	: 0
Smoke Developed	: 10



Fire rated



Abrasion
Resistance



Non Toxic
Chemical



Stain
Resistance




Washability



AM Furnishing Pte Ltd

Wallcoverings . Fabrics . Acoustics . Floorings


Website: www.amfurnishing.com.sg



AMD-23-042



AMD-23-043




AMD-23-044



AMD-23-045



AMD-23-046



AMD-23-047



AMD-23-048



AMD-23-049



AMD-23-050



AMD-23-051



AMD-23-052

Specifications XPE Wallcoverings

Physical Properties

Product Code	: Lanon XPE Wallcoverings
Width	: 1.3/1.37m by 30/50m
Backing	: XPE unbacked / Acrylic Backed / Paper Backed

Uses

Wallcoverings, Panel
Upholstered, Upholstery

Performance Features

Clean Ability	: Superior Scrub and Wash
Print Colors	: Fade Resistance Pigments, Alkali Resistant
Light-fastness	: Shall be no change in color or shade, discoloration exudation, development of tackiness, or stiffness.
Fire and Smoke	: ASTM E-84-21a
Durability	: No wear 1 million double rubs
Blocking Resistance	: Meets Type III CCC-W-408D
Breaking Strength	: Meets Type III CCC-W-408D (Machine Direction – 523 pounds force) (Cross Machine – 408 pounds force)

Fire Hazard Classification

Flame Spread	: 10
Fuel Contributed	: 0
Smoke Developed	: 10



Fire rated



Abrasion
Resistance



Non Toxic
Chemical



Stain
Resistance




Washability




AM Furnishing Pte Ltd

Wallcoverings . Fabrics . Acoustics . Floorings


Website: www.amfurnishing.com.sg



AML-23-053



AML-23-054



AML-23-055



AML-23-056



AML-23-057



AML-23-058



AML-23-059



AML-23-060



AML-23-061



AML-23-062



AML-23-063



AML-23-064



AML-23-065

Specifications XPE Wallcoverings

Physical Properties

Product Code	: Rayon XPE Wallcoverings
Width	: 1.3/1.37m by 30/50m
Backing	: XPE unbacked / Acrylic Backed / Paper Backed

Uses

Wallcoverings, Panel
Upholstered, Upholstery

Performance Features

Clean Ability	: Superior Scrub and Wash
Print Colors	: Fade Resistance Pigments, Alkali Resistant
Light-fastness	: Shall be no change in color or shade, discoloration exudation, development of tackiness, or stiffness.
Fire and Smoke	: ASTM E-84-21a
Durability	: No wear 1 million double rubs
Blocking Resistance	: Meets Type III CCC-W-408D
Breaking Strength	: Meets Type III CCC-W-408D (Machine Direction – 523 pounds force) (Cross Machine – 408 pounds force)

Fire Hazard Classification

Flame Spread	: 10
Fuel Contributed	: 0
Smoke Developed	: 10



Fire rated



Abrasion
Resistance



Non Toxic
Chemical



Stain
Resistance



Washability



AM Furnishing Pte Ltd

Wallcoverings . Fabrics . Acoustics . Floorings

Website: www.amfurnishing.com.sg

RAYON



AMR-23-066



AMR-23-067



AMR-23-068



AMR-23-069



AMR-23-070



AMR-23-071



AMR-23-072



AMR-23-073



AMR-23-074



AMR-23-075



AMR-23-076




AMR-23-077



AMR-23-078




AMR-23-079



AMR-23-080



AMR-23-081



AMR-23-082



AMR-23-083



AMR-23-084

Specifications XPE Wallcoverings

Physical Properties

Product Code	: Brass XPE Wallcoverings
Width	: 1.3/1.37m by 30/50m
Backing	: XPE unbacked / Acrylic Backed / Paper Backed

Uses

Wallcoverings, Panel
Upholstered, Upholstery

Performance Features

Clean Ability	: Superior Scrub and Wash
Print Colors	: Fade Resistance Pigments, Alkali Resistant
Light-fastness	: Shall be no change in color or shade, discoloration exudation, development of tackiness, or stiffness.
Fire and Smoke	: ASTM E-84-21a
Durability	: No wear 1 million double rubs
Blocking Resistance	: Meets Type III CCC-W-408D
Breaking Strength	: Meets Type III CCC-W-408D (Machine Direction – 523 pounds force) (Cross Machine – 408 pounds force)

Fire Hazard Classification

Flame Spread	: 10
Fuel Contributed	: 0
Smoke Developed	: 10



Fire rated



Abrasion
Resistance



Non Toxic
Chemical



Stain
Resistance



Washability




AM Furnishing Pte Ltd

Wallcoverings . Fabrics . Acoustics . Floorings

Website: www.amfurnishing.com.sg


BRASS



AMB-23-085



AMB-23-086




AMB-23-087




AMB-23-088



AMB-23-089



AMB-23-090



AMB-23-091



AMB-23-092



AMB-23-093



AMB-23-094



AMB-23-095



AMB-23-096



AMB-23-097



AMB-23-098



AMB-23-099



AMB-23-100

Specifications XPE Wallcoverings

Physical Properties

Product Code	: Jacquard XPE Wallcoverings
Width	: 1.3/1.37m by 30/50m
Backing	: XPE unbacked / Acrylic Backed / Paper Backed

Uses

Wallcoverings, Panel
Upholstered, Upholstery

Performance Features

Clean Ability	: Superior Scrub and Wash
Print Colors	: Fade Resistance Pigments, Alkali Resistant
Light-fastness	: Shall be no change in color or shade, discoloration exudation, development of tackiness, or stiffness.
Fire and Smoke	: ASTM E-84-21a
Durability	: No wear 1 million double rubs
Blocking Resistance	: Meets Type III CCC-W-408D
Breaking Strength	: Meets Type III CCC-W-408D (Machine Direction – 523 pounds force) (Cross Machine – 408 pounds force)

Fire Hazard Classification

Flame Spread	: 10
Fuel Contributed	: 0
Smoke Developed	: 10



Fire rated



Abrasion
Resistance



Non Toxic
Chemical



Stain
Resistance



Washability



AM Furnishing Pte Ltd

Wallcoverings . Fabrics . Acoustics . Floorings

Website: www.amfurnishing.com.sg


JACQUARD




AMJ-23-101




AMJ-23-102




AMJ-23-103



AMJ-23-104



AMJ-23-105



AMJ-23-106



AMJ-23-107



AMJ-23-108



AMJ-23-109



AMJ-23-110



AMJ-23-111



AMJ-23-112

Specifications XPE Wallcoverings

Physical Properties

Product Code	: Mesh XPE Wallcoverings
Width	: 1.3/1.37m by 30/50m
Backing	: XPE unbacked / Acrylic Backed / Paper Backed

Uses

Wallcoverings, Panel
Upholstered, Upholstery

Performance Features

Clean Ability	: Superior Scrub and Wash
Print Colors	: Fade Resistance Pigments, Alkali Resistant
Light-fastness	: Shall be no change in color or shade, discoloration exudation, development of tackiness, or stiffness.
Fire and Smoke	: ASTM E-84-21a
Durability	: No wear 1 million double rubs
Blocking Resistance	: Meets Type III CCC-W-408D
Breaking Strength	: Meets Type III CCC-W-408D (Machine Direction – 523 pounds force) (Cross Machine – 408 pounds force)

Fire Hazard Classification

Flame Spread	: 10
Fuel Contributed	: 0
Smoke Developed	: 10



Fire rated



Abrasion
Resistance



Non Toxic
Chemical



Stain
Resistance



Washability



AM Furnishing Pte Ltd


Wallcoverings . Fabrics . Acoustics . Floorings

Website: www.amfurnishing.com.sg

MESH




AMM-23-113




AMM-23-114




AMM-23-115



AMM-23-116




AMM-23-117




AMM-23-118




AMM-23-119




AMM-23-120




AMM-23-121




AMM-23-122




AMM-23-123




AMM-23-124




AMM-23-125



AMM-23-126



AMM-23-127



AMM-23-128

Specifications XPE Wallcoverings

Physical Properties

Product Code	: Satin XPE Wallcoverings
Width	: 1.3/1.37m by 30/50m
Backing	: XPE unbacked / Acrylic Backed / Paper Backed

Uses

Wallcoverings, Panel
Upholstered, Upholstery

Performance Features

Clean Ability	: Superior Scrub and Wash
Print Colors	: Fade Resistance Pigments, Alkali Resistant
Light-fastness	: Shall be no change in color or shade, discoloration exudation, development of tackiness, or stiffness.
Fire and Smoke	: ASTM E-84-21a
Durability	: No wear 1 million double rubs
Blocking Resistance	: Meets Type III CCC-W-408D
Breaking Strength	: Meets Type III CCC-W-408D (Machine Direction – 523 pounds force) (Cross Machine – 408 pounds force)

Fire Hazard Classification

Flame Spread	: 10
Fuel Contributed	: 0
Smoke Developed	: 10



Fire rated



Abrasion
Resistance



Non Toxic
Chemical



Stain
Resistance



Washability



AM Furnishing Pte Ltd


Wallcoverings . Fabrics . Acoustics . Floorings

Website: www.amfurnishing.com.sg


SATIN




AMS-23-129




AMS-23-130




AMS-23-131



AMS-23-132




AMS-23-133



AMS-23-134



AMS-23-135



AMS-23-136



AMS-23-137




AMS-23-138



AMS-23-139



AMS-23-140



AMS-23-141



AMS-23-142

Specifications XPE Wallcoverings

Physical Properties

Product Code	: Organza XPE Wallcoverings
Width	: 1.3/1.37m by 30/50m
Backing	: XPE unbacked / Acrylic Backed / Paper Backed

Uses

Wallcoverings, Panel
Upholstered, Upholstery

Performance Features

Clean Ability	: Superior Scrub and Wash
Print Colors	: Fade Resistance Pigments, Alkali Resistant
Light-fastness	: Shall be no change in color or shade, discoloration exudation, development of tackiness, or stiffness.
Fire and Smoke	: ASTM E-84-21a
Durability	: No wear 1 million double rubs
Blocking Resistance	: Meets Type III CCC-W-408D
Breaking Strength	: Meets Type III CCC-W-408D (Machine Direction – 523 pounds force) (Cross Machine – 408 pounds force)

Fire Hazard Classification

Flame Spread	: 10
Fuel Contributed	: 0
Smoke Developed	: 10



Fire rated



Abrasion
Resistance



Non Toxic
Chemical



Stain
Resistance



Washability



AM Furnishing Pte Ltd

Wallcoverings . Fabrics . Acoustics . Floorings

Website: www.amfurnishing.com.sg


ORGANZA




AMO-23-143




AMO-23-144




AMO-23-145



AMO-23-146




AMO-23-147




AMO-23-148



AMO-23-149




AMO-23-150



AMO-23-151



AMO-23-152



AMO-23-153



AMO-23-154




AMO-23-155



AMO-23-156



AMO-23-157



AMO-23-158



AMO-23-159



AMO-23-160

Specifications XPE Wallcoverings

Physical Properties

Product Code	: Elastic XPE Wallcoverings
Width	: 1.3/1.37m by 30/50m
Backing	: XPE unbacked / Acrylic Backed / Paper Backed

Uses

Wallcoverings, Panel
Upholstered, Upholstery

Performance Features

Clean Ability	: Superior Scrub and Wash
Print Colors	: Fade Resistance Pigments, Alkali Resistant
Light-fastness	: Shall be no change in color or shade, discoloration exudation, development of tackiness, or stiffness.
Fire and Smoke	: ASTM E-84-21a
Durability	: No wear 1 million double rubs
Blocking Resistance	: Meets Type III CCC-W-408D
Breaking Strength	: Meets Type III CCC-W-408D (Machine Direction – 523 pounds force) (Cross Machine – 408 pounds force)

Fire Hazard Classification

Flame Spread	: 10
Fuel Contributed	: 0
Smoke Developed	: 10



Fire rated



Abrasion
Resistance



Non Toxic
Chemical



Stain
Resistance



Washability



AM Furnishing Pte Ltd

Wallcoverings . Fabrics . Acoustics . Floorings

Website: www.amfurnishing.com.sg


ELASTIC




AME-23-161



AME-23-162




AME-23-163



AME-23-164



AME-23-165



AME-23-166



AME-23-167




AME-23-168



AME-23-169



AME-23-170



AME-23-171



AME-23-172

Specifications XPE Wallcoverings

Physical Properties

Product Code	: Fabrikal XPE Wallcoverings
Width	: 1.3/1.37m by 30/50m
Backing	: XPE unbacked / Acrylic Backed / Paper Backed

Uses

Wallcoverings, Panel
Upholstered, Upholstery

Performance Features

Clean Ability	: Superior Scrub and Wash
Print Colors	: Fade Resistance Pigments, Alkali Resistant
Light-fastness	: Shall be no change in color or shade, discoloration exudation, development of tackiness, or stiffness.
Fire and Smoke	: ASTM E-84-21a
Durability	: No wear 1 million double rubs
Blocking Resistance	: Meets Type III CCC-W-408D
Breaking Strength	: Meets Type III CCC-W-408D (Machine Direction – 523 pounds force) (Cross Machine – 408 pounds force)

Fire Hazard Classification

Flame Spread	: 10
Fuel Contributed	: 0
Smoke Developed	: 10



Fire rated



Abrasion
Resistance



Non Toxic
Chemical



Stain
Resistance




Washability



AM Furnishing Pte Ltd

Wallcoverings . Fabrics . Acoustics . Floorings


Website: www.amfurnishing.com.sg



AMF-23-173



AMF-23-174



AMF-23-175



AMF-23-176



AMF-23-177




AMF-23-178



AMF-23-179



AMF-23-180



AMF-23-181




AMF-23-182




AMF-23-183



AML-23-184



AML-23-185



AML-23-186



AML-23-187



Main: (+65) 6385-3644 / 6745-6788 | **Fax:** (+65) 6385-1216

Office: 61 UBI Avenue 1 #04-08 UB Point, Singapore 408941

Warehouse: 61 UBI Avenue 1 #03-08 UB Point, Singapore 408941 (Warehouse)

Email: angela@amfurnishing.com | **Website:** <https://amfurnishing.com.sg/>